

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50625618 0001

Berichtsnummer *Report No.:*

CN24LDFA 001

Genehmigungsinhaber *License Holder:*

Chint New Energy Technology

Co., Ltd.

No. 1 Jisheng Road,

Jianshan New Zone

Haining

314415 Zhejiang

P.R. China

Fertigungsstätte *Manufacturing Site:*

13 Fertigungsstätten auf Folgeseiten

Listing of 13 factories on following pages
Prüfzeichen *Test Mark:*


IEC 61215
IEC 61730
Regular Production
Surveillance

www.tuv.com
ID 1111275281

Geprüft nach *Tested according to:*

IEC 61215-1:2021

IEC 61215-1-1:2021

IEC 61215-2:2021

IEC 61730-1:2023

IEC 61730-2:2023

EN IEC 61215-1:2021

EN IEC 61215-1-1:2021

EN IEC 61215-2:2021

EN IEC 61730-1:2018

EN IEC 61730-2:2018

Geräteidentifikation
Product Identification
Produkt:

PV Module

Product:
Modell:

Modelle sind auf nächste(r) Seite(n) gelistet

Type:
Type designation(s) are listed on the next page(s)
Technische Daten:

Class II acc. to IEC 61140

Technical Data:

For other ratings, refer to the test report

Gültig bis:

2029-04-02

Date of expiry:
Gültig ab:

2024-04-03

Valid from:
Zertifizierungsstelle:
Certification body:

Angela Yao



Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

www.tuv.com

TÜVRheinland®
Precisely Right.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50625618 0001

Berichtsnummer *Report No.:*

CN24LDFA 001

Produkt *Product:* PV Module

Modell *Type:*

Bezeichnung *Designation:*

Max. System Voltage: up to 1500 VDC (Voc at STC):

With ½ cut of N-type mono c-Si cells:

CHSM72N(DG)/F-BH-xxx (xxx=535-610, in steps of 5, 144 cells)

CHSM60N(DG)/F-BH-xxx (xxx=450-505, in steps of 5, 120 cells)

CHSM54N(DG)/F-BH-xxx (xxx=405-455, in steps of 5, 108 cells)

Max. System Voltage: up to 1500 VDC (Voc at BNPI):

CHSM72N(DG)/F-BH-xxx (xxx=590-665, in steps of 5, 144 cells)

CHSM60N(DG)/F-BH-xxx (xxx=485-550, in steps of 5, 120 cells)

CHSM54N(DG)/F-BH-xxx (xxx=445-495, in steps of 5, 108 cells)

xxx represents output power in Wp

Remarks:

Fire Rating: Class A (according to UL 790)

Design Load/Safety Factors: 3600 Pa / 1.5 (downward)

1600 Pa / 1.5 (upward)

Conditions:

The product test is voluntarily according to technical regulations.

Any change of the design, materials, components or processing

may require the repetition of some of the qualification tests in order to retain type approval.



Zertifikat *Certificate*

Zertifikatsnummer Certificate No.:

PV 50625618 0002

Berichtsnummer Report No.:

CN24LDFA 002

Genehmigungsinhaber License Holder:

Chint New Energy Technology

Co., Ltd.

No. 1 Jisheng Road,

Jianshan New Zone

Haining

314415 Zhejiang

P.R. China

Fertigungsstätte Manufacturing Site:

13 Fertigungsstätten auf Folgeseiten

Listing of 13 factories on following pages
Prüfzeichen Test Mark:


IEC 61215
IEC 61730
Regular Production
Surveillance

www.tuv.com
ID 1111275281

Geprüft nach Tested according to:

IEC 61215-1:2021

IEC 61215-1-1:2021

IEC 61215-2:2021

IEC 61730-1:2023

IEC 61730-2:2023

EN IEC 61215-1:2021

EN IEC 61215-1-1:2021

EN IEC 61215-2:2021

EN IEC 61730-1:2018

EN IEC 61730-2:2018

Geräteidentifikation
Product Identification
Produkt:

PV Module

Product:
Modell:

Modelle sind auf nächste(r) Seite(n) gelistet

Type:
Type designation(s) are listed on the next page(s)
Technische Daten:

Class II acc. to IEC 61140

Technical Data:

For other ratings, refer to the test report

Gültig bis:

2029-04-02

Date of expiry:
Gültig ab:

2024-04-15

Valid from:
Zertifizierungsstelle:
Certification body:
Ausstellungsdatum:

2024-04-15

Date of issue:

Angela Yao



Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50625618 0002

Berichtsnummer *Report No.:*

CN24LDFA 002

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

Same as Page 0001

In addition:

Max. System Voltage: up to 1500 VDC (Voc at STC):

With ½ cut of N-type mono c-Si cells:

CHSM78N(DG)/F-BH-xxx (xxx=580-645, in steps of 5, 156 cells)

CHSM72N(DGT)/F-BH-xxx (xxx=525-600, in steps of 5, 144 cells)

CHSM60N(DGT)/F-BH-xxx (xxx=440-500, in steps of 5, 120 cells)

CHSM54N(DGT)/F-BH-xxx (xxx=395-450, in steps of 5, 108 cells)

CHSM54N(DGT)(BLH)/F-BH-xxx (xxx=395-450, in steps of 5, 108 cells)

CHSM48N(DGT)/F-BH-xxx (xxx=350-400, in steps of 5, 96 cells)

CHSM78N(DG)/F-HC-xxx (xxx=590-645, in steps of 5, 156 cells)

CHSM72N(DG)/F-HC-xxx (xxx=550-610, in steps of 5, 144 cells)

CHSM60N(DG)/F-HC-xxx (xxx=460-505, in steps of 5, 120 cells)

CHSM54N(DG)/F-HC-xxx (xxx=415-455, in steps of 5, 108 cells)

CHSM72RN(DG)/F-BH-xxx (xxx=580-620, in steps of 5, 144 cells)

CHSM54RN(DG)/F-BH-xxx (xxx=435-465, in steps of 5, 108 cells)

CHSM66RN(DG)/F-BH-xxx (xxx=585-615, in steps of 5, 132 cells)

CHSM66RN(DG)/F-HC-xxx (xxx=585-615, in steps of 5, 132 cells)

CHSM54RNs(DG)/F-BH-xxx (xxx=430-460, in steps of 5, 108 cells)

CHSM54RNs(DG)/F-HC-xxx (xxx=430-460, in steps of 5, 108 cells)

CHSM54RNs(DG)(BLH)/F-BH-xxx (xxx=425-455, in steps of 5, 108 cells)

CHSM54RNs(DGT)(BLH)/F-BH-xxx (xxx=425-455, in steps of 5, 108 cells)

CHSM54RNs(DGT)/F-BH-xxx (xxx=430-455, in steps of 5, 108 cells)

With ½ cut mono c-Si cells:

CHSM72M(DG)/F-BH-xxx (xxx=525-565, in steps of 5, 144 cells)

CHSM72M(DGT)/F-BH-xxx (xxx=510-540, in steps of 5, 144 cells)

CHSM78M(DG)/F-HC-xxx (xxx=580-615, in steps of 5, 156 cells)

CHSM72M(DG)/F-HC-xxx (xxx=535-550, in steps of 5, 144 cells)

CHSM60M(DG)/F-HC-xxx (xxx=450-455, in steps of 5, 120 cells)

CHSM54M(DG)/F-HC-xxx (xxx=405-410, in steps of 5, 108 cells)

Max. System Voltage: up to 1500 VDC (Voc at BNPI):

With ½ cut of N-type mono c-Si cells:

CHSM78N(DG)/F-BH-xxx (xxx=640-705, in steps of 5, 156 cells)

CHSM72N(DGT)/F-BH-xxx (xxx=580-655, in steps of 5, 144 cells)

CHSM60N(DGT)/F-BH-xxx (xxx=490-545, in steps of 5, 120 cells)

CHSM54N(DGT)/F-BH-xxx (xxx=440-495, in steps of 5, 108 cells)

CHSM54N(DGT)(BLH)/F-BH-xxx (xxx=440-490, in steps of 5, 108 cells)

CHSM48N(DGT)/F-BH-xxx (xxx=390-440, in steps of 5, 96 cells)

With ½ cut mono c-Si cells:

CHSM72M(DG)/F-BH-xxx (xxx=575-615, in steps of 5, 144 cells)

CHSM72M(DGT)/F-BH-xxx (xxx=565-595, in steps of 5, 144 cells)

CHSM72RN(DG)/F-BH-xxx (xxx=640-680, in steps of 5, 144 cells)

CHSM54RN(DG)/F-BH-xxx (xxx=480-510, in steps of 5, 108 cells)

CHSM66RN(DG)/F-BH-xxx (xxx=645-675, in steps of 5, 132 cells)

CHSM54RNs(DG)/F-BH-xxx (xxx=475-505, in steps of 5, 108 cells)

CHSM54RNs(DG)(BLH)/F-BH-xxx (xxx=465-495, in steps of 5, 108 cells)

CHSM54RNs(DGT)(BLH)/F-BH-xxx (xxx=470-500, in steps of 5, 108 cells)

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50625618 0002

Berichtsnummer *Report No.:*

CN24LDFA 002

Produkt *Product:* PV Module

Modell *Type:*

Bezeichnung *Designation:*

CHSM54RNs(DGT) /F-BH-xxx (xxx=475-500, in steps of 5, 108 cells)
xxx represents output power in Wp



Zertifikat *Certificate*

Zertifikatsnummer Certificate No.:

PV 50625618 0003

Berichtsnummer Report No.:

CN24LDFA 008

Genehmigungsinhaber License Holder:

Chint New Energy Technology

Co., Ltd.

No. 1 Jisheng Road,

Jianshan New Zone

Haining

314415 Zhejiang

P.R. China

Fertigungsstätte Manufacturing Site:

14 Fertigungsstätten auf Folgeseiten

Listing of 14 factories on following pages
Prüfzeichen Test Mark:


IEC 61215
IEC 61730
Regular Production
Surveillance

www.tuv.com
ID 1111275281

Geprüft nach Tested according to:

IEC 61215-1:2021

IEC 61215-1-1:2021

IEC 61215-2:2021

IEC 61730-1:2023

IEC 61730-2:2023

EN IEC 61215-1:2021

EN IEC 61215-1-1:2021

EN IEC 61215-2:2021

EN IEC 61730-1:2018

EN IEC 61730-2:2018

Geräteidentifikation
Product Identification
Produkt:

PV Module

Product:
Modell:

Modelle sind auf nächste(r) Seite(n) gelistet

Type:
Type designation(s) are listed on the next page(s)
Technische Daten:

Class II acc. to IEC 61140

Technical Data:

For other ratings, refer to the test report

Gültig bis:

2029-04-02

Date of expiry:
Gültig ab:

2024-06-26

Valid from:
Zertifizierungsstelle:
Certification body:
Ausstellungsdatum:

2024-06-26

Date of issue:

Angela Yao



Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

www.tuv.com
TÜVRheinland®
Precisely Right.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50625618 0003

Berichtsnummer *Report No.:*

CN24LDFA 008

Produkt *Product:* PV Module

Modell *Type:* **Bezeichnung** *Designation:*

Same as Page 0001-0002

Remarks:

- Fire Rating: Class A or C according to UL790
(refer to test report for details)
- Manufacturing plant update: see annex.



Zertifikat *Certificate*

Zertifikatsnummer Certificate No.:

PV 50625618 0004

Berichtsnummer Report No.:

CN24LDFA 011

Genehmigungsinhaber License Holder:

Chint New Energy Technology

Co., Ltd.

No. 1 Jisheng Road,

Jianshan New Zone

Haining

314415 Zhejiang

P.R. China

Fertigungsstätte Manufacturing Site:

15 Fertigungsstätten auf Folgeseiten

Listing of 15 factories on following pages
Prüfzeichen Test Mark:


IEC 61215
IEC 61730
Regular Production
Surveillance

www.tuv.com
ID 1111275281

Geprüft nach Tested according to:

IEC 61215-1:2021

IEC 61215-1-1:2021

IEC 61215-2:2021

IEC 61730-1:2023

IEC 61730-2:2023

EN IEC 61215-1:2021

EN IEC 61215-1-1:2021

EN IEC 61215-2:2021

EN IEC 61730-1:2018

EN IEC 61730-2:2018

Geräteidentifikation
Product Identification
Produkt:

PV Module

Product:
Modell:

Modelle sind auf nächste(r) Seite(n) gelistet

Type:
Type designation(s) are listed on the next page(s)
Technische Daten:

Class II acc. to IEC 61140

Technical Data:

For other ratings, refer to the test report

Gültig bis:

2029-04-02

Date of expiry:
Gültig ab:

2024-07-30

Valid from:
Zertifizierungsstelle:
Certification body:
Ausstellungsdatum:

2024-07-30

Date of issue:

Angela Yao



Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

www.tuv.com
TÜVRheinland®
Precisely Right.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50625618 0004

Berichtsnummer *Report No.:*

CN24LDFA 011

Produkt *Product:* PV Module

Modell *Type:* **Bezeichnung** *Designation:*

Same as Page 0001-0003

In addition:

Power range extension for following models:

Max. System Voltage: up to 1500 VDC (Voc at STC):

With ½ cut mono c-Si cells:

CHSM66RN(DG)/F-BH-xxx (xxx=620, 132 cells)

CHSM66RN(DG)/F-HC-xxx (xxx=620, 132 cells)

Max. System Voltage: up to 1500 VDC (Voc at BNPI):

With ½ cut mono c-Si cells:

CHSM66RN(DG)/F-BH-xxx (xxx=680, 132 cells)

New model types:

Max. System Voltage: up to 1500 VDC (Voc at STC):

With ½ cut mono c-Si cells:

CHSM72N(DG)/F-BH-IA-xxx (xxx=535-610, in steps of 5, 144 cells)

CHSM78N(DG)/F-BH-IA-xxx (xxx=580-645, in steps of 5, 156 cells)

CHSM60RNs(DGT)(BLH)/F-BH-xxx (xxx=480-515, in steps of 5, 120 cells)

CHSM60RNs(DG)(BLH)/F-BH-xxx (xxx=480-515, in steps of 5, 120 cells)

CHSM60RNs(DG)/F-BH-xxx (xxx=480-515, in steps of 5, 120 cells)

Max. System Voltage: up to 1500 VDC (Voc at BNPI):

With ½ cut mono c-Si cells:

CHSM72N(DG)/F-BH-IA-xxx (xxx=590-665, in steps of 5, 144 cells)

CHSM78N(DG)/F-BH-IA-xxx (xxx=640-705, in steps of 5, 156 cells)

CHSM60RNs(DGT)(BLH)/F-BH-xxx (xxx=530-565, in steps of 5, 120 cells)

CHSM60RNs(DG)(BLH)/F-BH-xxx (xxx=530-565, in steps of 5, 120 cells)

CHSM60RNs(DG)/F-BH-xxx (xxx=530-565, in steps of 5, 120 cells)

xxx represents output power in Wp

Remarks:

- Manufacturing plant update: see annex.



Zertifikat *Certificate*

Zertifikatsnummer Certificate No.:

PV 50625618 0005

Berichtsnummer Report No.:

CN24LDFA 017

Genehmigungsinhaber License Holder:

Chint New Energy Technology

Co., Ltd.

No. 1 Jisheng Road,

Jianshan New Zone

Haining

314415 Zhejiang

P.R. China

Fertigungsstätte Manufacturing Site:

16 Fertigungsstätten auf Folgeseiten

Listing of 16 factories on following pages
Prüfzeichen Test Mark:


IEC 61215
IEC 61730
Regular Production
Surveillance

www.tuv.com
ID 1111275281

Geprüft nach Tested according to:

IEC 61215-1:2021

IEC 61215-1-1:2021

IEC 61215-2:2021

IEC 61730-1:2023

IEC 61730-2:2023

EN IEC 61215-1:2021

EN IEC 61215-1-1:2021

EN IEC 61215-2:2021

EN IEC 61730-1:2018

EN IEC 61730-2:2018

Geräteidentifikation
Product Identification
Produkt:

PV Module

Product:
Modell:

Modelle sind auf nächste(r) Seite(n) gelistet

Type:
Type designation(s) are listed on the next page(s)
Technische Daten:

Class II acc. to IEC 61140

Technical Data:

For other ratings, refer to the test report

Gültig bis:

2029-04-02

Date of expiry:
Gültig ab:

2024-10-29

Valid from:
Zertifizierungsstelle:
Certification body:
Ausstellungsdatum:

2024-10-29

Date of issue:

Angela Yao



Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50625618 0005

Berichtsnummer *Report No.:*

CN24LDFA 017

Produkt *Product:* PV Module

Modell *Type:* **Bezeichnung** *Designation:*

Same as Page 0001-0004

In addition:

Max. System Voltage: up to 1500 VDC (Voc at STC):

CHSM66N(DG)/F-BH-xxx (xxx=685-720, in steps of 5, 132 cells)

CHSM54RN(DG)/F-BH-xxx (xxx=495-515, in steps of 5, 108 cells)

CHSM54RN(DGT)(BLH)/F-BH-xxx (xxx=495-510, in steps of 5, 108 cells)

CHSM48RN(DG)(BLH)/F-BH-xxx (xxx=440-455, in steps of 5, 96 cells)

CHSM48RN(DG)/F-BH-xxx (xxx=440-455, in steps of 5, 96 cells)

CHSM48RN(DGT)(BLH)/F-BH-xxx (xxx=440-455, in steps of 5, 96 cells)

Max. System Voltage: up to 1500 VDC (Voc at BNPI):

With ½ cut N-type mono c-Si cells:

CHSM66N(DG)/F-BH-xxx (xxx=755-790, in steps of 5, 132 cells)

CHSM54RN(DG)/F-BH-xxx (xxx=545-565, in steps of 5, 108 cells)

CHSM54RN(DGT)(BLH)/F-BH-xxx (xxx=545-560, in steps of 5, 108 cells)

CHSM48RN(DG)(BLH)/F-BH-xxx (xxx=485-500, in steps of 5, 96 cells)

CHSM48RN(DG)/F-BH-xxx (xxx=485-500, in steps of 5, 96 cells)

CHSM48RN(DGT)(BLH)/F-BH-xxx (xxx=485-500, in steps of 5, 96 cells)

Power range extension for following models:

Max. System Voltage: up to 1500 VDC (Voc at STC):

With ½ cut N-type mono c-Si cells:

CHSM66RN(DG)/F-BH-xxx (xxx=625-630, in steps of 5, 132 cells)

CHSM78N(DG)/F-HC-xxx (xxx=650-665, in steps of 5, 156 cells)

With ½ cut mono c-Si cells:

CHSM72M(DG)/F-HC-xxx (xxx=555-570, in steps of 5, 144 cells)

CHSM60M(DG)/F-HC-xxx (xxx=460-475, in steps of 5, 120 cells)

CHSM54M(DG)/F-HC-xxx (xxx=415-425, in steps of 5, 108 cells)

Max. System Voltage: up to 1500 VDC (Voc at BNPI):

With ½ cut N-type mono c-Si cells:

CHSM66RN(DG)/F-BH-xxx (xxx=685-690, in steps of 5, 132 cells)

xxx represents output power in Wp

Remarks:

- Manufacturing plant update: see annex.



Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50625618 0006

Berichtsnummer *Report No.:*

CN24LDFA 020

Genehmigungsinhaber *License Holder:*

Chint New Energy Technology

Co., Ltd.

No. 1 Jisheng Road,

Jianshan New Zone

Haining

314415 Zhejiang

P.R. China

Fertigungsstätte *Manufacturing Site:*

16 Fertigungsstätten auf Folgeseiten

Listing of 16 factories on following pages
Prüfzeichen *Test Mark:*


IEC 61215
IEC 61730
Regular Production
Surveillance

www.tuv.com
ID 1111275281

Geprüft nach *Tested according to:*

IEC 61215-1:2021

IEC 61215-1-1:2021

IEC 61215-2:2021

IEC 61730-1:2023

IEC 61730-2:2023

EN IEC 61215-1:2021

EN IEC 61215-1-1:2021

EN IEC 61215-2:2021

EN IEC 61730-1:2018

EN IEC 61730-2:2018

Geräteidentifikation
Product Identification
Produkt:

PV Module

Product:
Modell:

Modelle sind auf nächste(r) Seite(n) gelistet

Type:
Type designation(s) are listed on the next page(s)
Technische Daten:

Class II acc. to IEC 61140

Technical Data:

For other ratings, refer to the test report

Gültig bis:

2029-04-02

Date of expiry:
Gültig ab:

2024-12-04

Valid from:
Zertifizierungsstelle:
Certification body:

Angela Yao



Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

www.tuv.com
TÜVRheinland®
Precisely Right.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50625618 0006

Berichtsnummer *Report No.:*

CN24LDFA 020

Produkt *Product:* PV Module**Modell** *Type:***Bezeichnung** *Designation:*

Same as Page 0001-0005

In addition:

Max. System Voltage: up to 1500 VDC (Voc at STC):

With ½ cut of N-type mono c-Si cells:

CHSM78RN(DG)/F-BH-xxx

(xxx=710-745, in steps of 5, 156 cells)

Max. System Voltage: up to 1500 VDC (Voc at BNPI):

With ½ cut of N-type mono c-Si cells:

CHSM78RN(DG)/F-BH-xxx

(xxx=780-815, in steps of 5, 156 cells)

xxx represents output power in Wp



Zertifikat *Certificate*

Zertifikatsnummer Certificate No.:

PV 50625618 0007

Berichtsnummer Report No.:

CN24LDFA 027

Genehmigungsinhaber License Holder:

Chint New Energy Technology

Co., Ltd.

No. 1 Jisheng Road,

Jianshan New Zone

Haining

314415 Zhejiang

P.R. China

Fertigungsstätte Manufacturing Site:

16 Fertigungsstätten auf Folgeseiten

Listing of 16 factories on following pages
Prüfzeichen Test Mark:


IEC 61215
IEC 61730
Regular Production
Surveillance

www.tuv.com
ID 1111275281

Geprüft nach Tested according to:

IEC 61215-1:2021

IEC 61215-1-1:2021

IEC 61215-2:2021

IEC 61730-1:2023

IEC 61730-2:2023

EN IEC 61215-1:2021

EN IEC 61215-1-1:2021

EN IEC 61215-2:2021

EN IEC 61730-1:2018

EN IEC 61730-2:2018

Geräteidentifikation
Product Identification
Produkt:

PV Module

Product:
Modell:

Modelle sind auf nächste(r) Seite(n) gelistet

Type:
Type designation(s) are listed on the next page(s)
Technische Daten:

Class II acc. to IEC 61140

Technical Data:

For other ratings, refer to the test report

Gültig bis:

2029-04-02

Date of expiry:
Gültig ab:

2025-01-21

Valid from:
Zertifizierungsstelle:

Certification body:

Ausstellungsdatum:

2025-01-21

Date of issue:

Elle Hu



Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50625618 0007

Berichtsnummer *Report No.:*

CN24LDFA 027

Produkt *Product:* PV Module**Modell** *Type:***Bezeichnung** *Designation:*

Same as Page 0001-0006

In addition:

Max. System Voltage: up to 1500 VDC (Voc at STC):

With ½ cut of N-type mono c-Si cells:

CHSM66N(DG)/F-BH-xxx (xxx=685-720, in steps of 5, 132 cells,

Pmax@BNPI=753.5, 759.0, 764.5, 770.0, 775.5, 781.0, 786.5, 792.0)

CHSM78RN(DG)/F-BH-xxx (xxx=710-745, in steps of 5, 156 cells,

Pmax@BNPI=781.0, 786.5, 792.0, 797.5, 803.0, 808.5, 814.0, 819.5)

xxx represents output power in Wp



Zertifikat *Certificate*

Zertifikatsnummer Certificate No.:

PV 50625618 0008

Berichtsnummer Report No.:

CN24LDFA 033

Genehmigungsinhaber License Holder:

Chint New Energy Technology

Co., Ltd.

No. 1 Jisheng Road,

Jianshan New Zone

Haining

314415 Zhejiang

P.R. China

Fertigungsstätte Manufacturing Site:

16 Fertigungsstätten auf Folgeseiten

Listing of 16 factories on following pages
Prüfzeichen Test Mark:


IEC 61215
IEC 61730
Regular Production
Surveillance

www.tuv.com
ID 1111275281

Geprüft nach Tested according to:

IEC 61215-1:2021

IEC 61215-1-1:2021

IEC 61215-2:2021

IEC 61730-1:2023

IEC 61730-2:2023

EN IEC 61215-1:2021

EN IEC 61215-1-1:2021

EN IEC 61215-2:2021

EN IEC 61730-1:2018

EN IEC 61730-2:2018

Geräteidentifikation
Product Identification
Produkt:

PV Module

Product:
Modell:

Modelle sind auf nächste(r) Seite(n) gelistet

Type:
Type designation(s) are listed on the next page(s)
Technische Daten:

Class II acc. to IEC 61140

Technical Data:

For other ratings, refer to the test report

Gültig bis:

2029-04-02

Date of expiry:
Gültig ab:

2025-03-11

Valid from:
Zertifizierungsstelle:
Certification body:
Ausstellungsdatum:

2025-03-11

Date of issue:

Angela Yao



Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50625618 0008

Berichtsnummer *Report No.:*

CN24LDFA 033

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

Same as Page 0001-0007

In addition:

Max. System Voltage: up to 1500 VDC (Voc at STC):

With ½ cut of N-type mono c-Si cells:

CHSM09Ns(DG)(BLH)/F-BH-xxx

(xxx=65-70, in steps of 5, 18 cells, Pmax@BNPI=71.7, 77.2)

Add BNPI power range for below model types:

Max. System Voltage: up to 1500 VDC (Voc at STC):

With ½ cut of N-type mono c-Si cells:

CHSM72N(DG)/F-BH-xxx

(xxx=535-610, in steps of 5, 144 cells, Pmax@BNPI=591.6, 597.1,

602.6, 608.1, 613.7, 619.2, 624.7, 630.3, 635.8, 641.3, 646.8,

652.4, 657.9, 663.4, 669.0)

CHSM60N(DG)/F-BH-xxx

(xxx=440-505, in steps of 5, 120 cells, Pmax@BNPI=497.3, 502.8,

508.3, 513.8, 519.4, 524.9, 530.4, 535.9, 541.5, 547.0, 552.5,

558.0)

CHSM54N(DG)/F-BH-xxx

(xxx=405-455, in steps of 5, 108 cells, Pmax@BNPI=447.5, 453.1,

458.6, 464.1, 469.6, 475.2, 480.7, 486.2, 491.7, 497.3, 502.8)

CHSM78N(DG)/F-BH-xxx

(xxx=440-505, in steps of 5, 156 cells, Pmax@BNPI=637.7, 643.2,

648.7, 654.2, 659.7, 665.2, 670.7, 676.2, 681.7, 687.2, 692.7,

698.2, 703.7, 709.2)

CHSM72N(DGT)/F-BH-xxx

(xxx=525-600, in steps of 5, 144 cells, Pmax@BNPI=580.9, 586.4,

592.0, 597.5, 603.0, 608.6, 614.1, 619.6, 625.2, 630.7, 636.2,

641.8, 647.3, 652.8, 658.4, 663.9)

CHSM60N(DGT)/F-BH-xxx

(xxx=440-500, in steps of 5, 120 cells, Pmax@BNPI=486.9, 492.4,

497.9, 503.5, 509.0, 514.5, 520.1, 525.6, 531.1, 536.7, 542.2,

547.7, 553.3)

CHSM54N(DGT)/F-BH-xxx

(xxx=395-450, in steps of 5, 108 cells, Pmax@BNPI=437.1, 442.6,

448.1, 453.7, 459.2, 464.7, 470.3, 475.8, 481.3, 486.9, 492.4,

497.9)

CHSM48N(DGT)/F-BH-xxx

(xxx=350-400, in steps of 5, 96 cells, Pmax@BNPI=387.3, 392.8,

398.3, 403.9, 409.4, 414.9, 420.5, 426.0, 431.5, 437.1, 442.6)

CHSM54N(DGT)(BLH)/F-BH-xxx

(xxx=395-450, in steps of 5, 108 cells, Pmax@BNPI=437.1, 442.6,

448.1, 453.7, 459.2, 464.7, 470.3, 475.8, 481.3, 486.9, 492.4,


497.9)

CHSM66RN(DG)/F-BH-xxx

(xxx=585-630, in steps of 5, 132 cells, Pmax@BNPI=645.0, 650.5,

656.0, 661.5, 667.0, 672.5, 678.1, 683.6, 689.1, 694.6)

CHSM72RN(DG)/F-BH-xxx



Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50625618 0008

Berichtsnummer *Report No.:*

CN24LDFA 033

Produkt *Product:* PV Module

Modell *Type:*
Bezeichnung *Designation:*

(xxx=580-620, in steps of 5, 144 cells, Pmax@BNPI=639.3, 644.8, 650.3, 655.8, 661.3, 666.8, 672.3, 677.9, 683.4)

CHSM54RN(DG)/F-BH-xxx

(xxx=435-465, in steps of 5, 108 cells, Pmax@BNPI=479.5, 485.0, 490.5, 496.0, 501.5, 507.0, 512.5)

CHSM54RN(DG)/F-BH-xxx

(xxx=495-515, in steps of 5, 108 cells, Pmax@BNPI=545.5, 551.0, 556.5, 562.0, 567.5)

CHSM54RN(DGT)(BLH)/F-BH-xxx

(xxx=495-510, in steps of 5, 108 cells, Pmax@BNPI=545.5, 551.0, 556.5, 562.0)

CHSM48RN(DG)/F-BH-xxx

(xxx=440-455, in steps of 5, 96 cells, Pmax@BNPI=484.9, 490.4, 495.9, 501.4)

CHSM48RN(DG)(BLH)/F-BH-xxx

(xxx=440-455, in steps of 5, 96 cells, Pmax@BNPI=484.9, 490.4, 495.9, 501.4)

CHSM54RNs(DG)/F-BH-xxx

(xxx=430-460, in steps of 5, 108 cells, Pmax@BNPI=473.1, 478.6, 484.1, 489.6, 495.1, 500.6, 506.1)

CHSM54RNs(DG)(BLH)/F-BH-xxx

(xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=463.3, 468.7, 474.2, 479.6, 485.1, 490.5, 496.0)

CHSM54RNs(DGT)/F-BH-xxx

(xxx=430-455, in steps of 5, 108 cells, Pmax@BNPI=473.9, 479.5, 485.0, 490.5, 496.0, 501.5)

CHSM54RNs(DGT)(BLH)/F-BH-xxx

(xxx=425-455, in steps of 5, 108 cells, Pmax@BNPI=473.9, 479.5, 485.0, 490.5, 496.0, 501.5)

CHSM72N(DG)/F-BH-IA-xxx

(xxx=535-610, in steps of 5, 144 cells, Pmax@BNPI=591.6, 597.1, 602.6, 608.1, 613.7, 619.2, 624.7, 630.3, 635.8, 641.3, 646.8, 652.4, 657.9, 663.4, 669.0)

CHSM78N(DG)/F-BH-IA-xxx

(xxx=580-645, in steps of 5, 156 cells, Pmax@BNPI=637.7, 643.2, 648.7, 654.2, 659.7, 665.2, 670.7, 676.2, 681.7, 687.2, 692.7, 698.2, 703.7, 709.2)

CHSM60RNs(DGT)(BLH)/F-BH-xxx

(xxx=480-515, in steps of 5, 120 cells, Pmax@BNPI=529.3, 534.9, 540.4, 545.9, 551.4, 556.9, 562.4, 567.9)


CHSM60RNs(DG)(BLH)/F-BH-xxx

(xxx=480-515, in steps of 5, 120 cells, Pmax@BNPI=529.0, 534.5, 540.0, 545.5, 551.0, 556.5, 562.0, 567.5)

CHSM60RNs(DG)/F-BH-xxx

(xxx=480-515, in steps of 5, 120 cells, Pmax@BNPI=529.0, 534.5, 540.0, 545.5, 551.0, 556.5, 562.0, 567.5)

xxx represents output power in Wp



Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50625618 0009

Berichtsnummer *Report No.:*

CN24LDFA 034

Genehmigungsinhaber *License Holder:*

Chint New Energy Technology

Co., Ltd.

No. 1 Jisheng Road,

Jianshan New Zone

Haining

314415 Zhejiang

P.R. China

Fertigungsstätte *Manufacturing Site:*

13 Fertigungsstätten auf Folgeseiten

Listing of 13 factories on following pages
Prüfzeichen *Test Mark:*


IEC 61215
IEC 61730
Regular Production
Surveillance

www.tuv.com
ID 1111275281

Geprüft nach *Tested according to:*

IEC 61215-1:2021

IEC 61215-1-1:2021

IEC 61215-2:2021

IEC 61730-1:2023

IEC 61730-2:2023

EN IEC 61215-1:2021

EN IEC 61215-1-1:2021

EN IEC 61215-2:2021

EN IEC 61730-1:2018

EN IEC 61730-2:2018

Geräteidentifikation
Product Identification
Produkt:

PV Module

Product:
Modell:

Modelle sind auf nächste(r) Seite(n) gelistet

Type:
Type designation(s) are listed on the next page(s)
Technische Daten:

Class II acc. to IEC 61140

Technical Data:

For other ratings, refer to the test report

Gültig bis:

2029-04-02

Date of expiry:
Gültig ab:

2025-04-03

Valid from:
Zertifizierungsstelle:
Certification body:
Ausstellungsdatum:

2025-04-03

Date of issue:

Angela Yao



Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50625618 0009

Berichtsnummer *Report No.:*

CN24LDFA 034

Produkt *Product:* PV Module

Modell *Type:*

Bezeichnung *Designation:*

Same as Page 0001-0008

In addition:

Max. System Voltage: up to 1500 VDC (Voc at STC):

With ½ cut of N-type mono c-Si cells:

CHSM78N(DG)/F-BH-xxx

(xxx=580-645, in steps of 5, 156 cells,

Pmax@BNPI=637.7, 643.2, 648.7, 654.2, 659.7, 665.2,

670.7, 676.2, 681.7, 687.2, 692.7, 698.2, 703.7, 709.2)

CHSM48RN(DGT)(BLH)/F-BH-xxx

(xxx=440-455, in steps of 5, 96 cells,

Pmax@BNPI=484.9, 490.4, 495.9, 501.4)

xxx represents output power in Wp

Remarks:

- Manufacturing site update: see page 3 to 4.



Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50625618 0010

Berichtsnummer *Report No.:*

CN24LDFA 043

Genehmigungsinhaber *License Holder:*

Chint New Energy Technology

Co., Ltd.

No. 1 Jisheng Road,

Jianshan New Zone

Haining

314415 Zhejiang

P.R. China

Fertigungsstätte *Manufacturing Site:*

13 Fertigungsstätten auf Folgeseiten

Listing of 13 factories on following pages
Prüfzeichen *Test Mark:*


IEC 61215
IEC 61730
Regular Production
Surveillance

www.tuv.com
ID 1111275281

Geprüft nach *Tested according to:*

IEC 61215-1:2021

IEC 61215-1-1:2021

IEC 61215-2:2021

IEC 61730-1:2023

IEC 61730-2:2023

EN IEC 61215-1:2021

EN IEC 61215-1-1:2021

EN IEC 61215-2:2021

EN IEC 61730-1:2018

EN IEC 61730-2:2018

Geräteidentifikation
Product Identification
Produkt:

PV Module

Product:
Modell:

Modelle sind auf nächste(r) Seite(n) gelistet

Type:
Type designation(s) are listed on the next page(s)
Technische Daten:

Class II acc. to IEC 61140

Technical Data:

For other ratings, refer to the test report

Gültig bis:

2029-04-02

Date of expiry:
Gültig ab:

2025-05-09

Valid from:
Zertifizierungsstelle:
Certification body:
Ausstellungsdatum:

2025-05-09

Date of issue:

Angela Yao



Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

www.tuv.com
TÜVRheinland®
Precisely Right.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50625618 0010

Berichtsnummer *Report No.:*

CN24LDFA 043

Produkt *Product:* PV Module

Modell *Type:*

Bezeichnung *Designation:*

Same as Page 0001-0009

In addition:

Power range extension for following models:

With ½ cut of N-type mono c-Si cells:

CHSM78N(DG)/F-BH-xxx

(xxx=650-660, in steps of 5, 156 cells, Pmax@BNPI=714.7, 720.2, 725.7)

CHSM66RN(DG)/F-BH-xxx

(xxx=635-650, in steps of 5, 132 cells, Pmax@BNPI=702.3, 707.8, 713.4, 718.9)

CHSM54RN(DG)/F-BH-xxx

(xxx=520-530, in steps of 5, 108 cells, Pmax@BNPI=573.0, 578.6, 584.1)

CHSM54RN(DGT)(BLH)/F-BH-xxx

(xxx=515-525, in steps of 5, 108 cells, Pmax@BNPI=567.5, 573.0, 578.6)

CHSM48RN(DG)/F-BH-xxx

(xxx=460-470, in steps of 5, 96 cells, Pmax@BNPI=506.9, 512.4, 517.9)

CHSM48RN(DG)(BLH)/F-BH-xxx

(xxx=460-465, in steps of 5, 96 cells, Pmax@BNPI=506.9, 512.4)

CHSM48RN(DGT)(BLH)/F-BH-xxx

(xxx=460-465, in steps of 5, 96 cells, Pmax@BNPI=506.9, 512.4)

CHSM78N(DG)/F-BH-IA-xxx

(xxx=650-660, in steps of 5, 156 cells, Pmax@BNPI=714.7, 720.2, 725.7)

xxx represents output power in Wp



Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50625618 0010

Berichtsnummer *Report No.:*

CN24LDFA 043

Produkt *Product:*

PV Module

Fertigungsstätten *Factories:*

- 1 ASTRONERGY SOLAR PANEL URETIM VE
TICARET ANONIM SIRKETI ADANA SUBESI
ACIDEREOSB MAH. SEDEF CAD. NO: 1 SARICAM
01900 ADANA
Türkiye
- 2 Chint New Energy Technology
Co., Ltd.
No. 1 Jisheng Road,
Jianshan New Zone
Haining
314415 Zhejiang
P.R. China
- 3 Chint New Energy Technology Co., Ltd.
(M4) No. 2 Jisheng Road, Jianshan New Zone,
Haining
314415 Zhejiang
P.R. China
- 4 Chint Solar Technology (Yueqing)
Co.,Ltd.
No.1 Xinneng Road, Yueqing Bay Lingang
Economic Development Zone, Yueqing City,
Wenzhou City
325609 Zhejiang
P.R. China
- 5 Chint New Energy Technology
(Jiuquan) Co.,Ltd.
15 Jingwu Road, Jiuquan economic
and Technological Development
Zone, Suzhou District, Jiuquan City,
Gansu
P.R. China
- 6 Chint Solar Technology (Yancheng)
Co.,Ltd.
No. 8, Fengyang Road,
Shanghai-Suzhou-Dafeng Industry Linkage Cluster,
Dafeng District, Yancheng City,
Jiangsu
P.R. China



© TÜV. TÜV and TÜV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 50625618 0010

Berichtsnummer *Report No.:*

CN24LDFA 043

Produkt *Product:*

PV Module

Fertigungsstätten *Factories:*

- 7 Kivanc Enerji Uretim Anonim Sirketi
Sahin Mahallesi Sait Polat Bulvarı No:396
Yenice/Tarsus/Mersin
Türkiye
- 8 Chint New Energy Technology
(Fuyang) Co.,Ltd.
No.177, TongDeng Road,
Lingqiao Town, Fuyang District,
Hangzhou,
Zhejiang
P.R. China
- 9 Chint New Energy Technology (Yancheng)
Co.,Ltd.
No.1 Tonghui Road, Dafeng District,
Yancheng City,
Jiangsu
P.R. China
- 10 Songyuan New Energy Technology
Co.,Ltd.
No.2211,Jiangye Avenue,
Yadahong Enterprise Service Center,
Ningjiang District,Songyuan,
Jilin
P.R. China
- 11 Chint New Energy Technology (Yanchi)
Co.,Ltd.
Block 2, Yanchi County Industrial Park,
Wuzhong City, (North of Gaoshawo)
Ningxia
P.R. China
- 12 Chint Solar Technology (Yiwu) Co.,Ltd.
No. 1, Qingcheng West Road, Fotang Town,
Yiwu City, Jinhua City,
Zhejiang
P.R. China
- 13 Chint Solar (HaiNing) Co., Ltd.
No. 2 Jisheng Road, Jianshan New Zone,
Haining
314415 Zhejiang
P.R. China



© TÜV, TÜV and TÜV are registered trademarks. Utilisation and application requires prior approval.